

I have experience in treating patients with many diagnosis both through hepatobiliary surgery and transplant:

Acetaminophen overdose ("Tylenol")

Acute liver failure ("Fulminant Liver Failure")

Cholangitis

Primary Sclerosing Cholangitis ("PSC")

Cirrhosis

Laennec's Cirrhosis (Alcohol)

Cryptogenic Cirrhosis (unknown cause)

Fatty Liver (also called "NASH")

Enlarged liver

End Stage Liver Disease characterized by variceal hemorrhage or portal hypertension

Gastropathy

Hepatitis A

Hepatitis B

Hepatitis C (“HCV”)

Biliary Atresia

Neonatal Hemochromatosis

Hepatorenal syndrome

Biliary reconstruction for correction of disease or injury (e.g. bile duct strictures)

Liver mass

Liver tumor

Liver cancer

Hepatocellular cancer (HCC)

Benign tumors of the liver

Hemangioma

Focal nodular hyperplasia

Adenomas

Jaundice

Metastatic tumors in the liver ("Mets")

- Originating from colon, pancreas, breast, stomach, and gall bladder

Neuroendocrine and Bronchogenic tumors (EG carcinoid)

Pancreatic Cysts and Pancreatic Masses

Sphincter of Oddi dysfunction

